

**Pre/Post Test for DUII Education Curriculum**

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Score: \_\_\_\_\_ out of 40

**Multiple choice (15 points) – Read each question carefully. Choose all answers that apply.**

1. In Oregon, it is against the law to drive while under the influence of:  
 A. Alcohol  
 B. Controlled substances  
 C. Inhalants  
 D. All of the above
  
2. Depressant drugs can impair your driving by:  
 A. Slowing your reflexes  
 B. Impairing your balance and coordination  
 C. Affecting your vision  
 D. Affecting your perception of time  
 E. All of the above  
 F. None of the above
  
3. Which has the highest alcohol content?  
 A. 1 ½ ounces of hard liquor  
 B. 5 ounces of wine  
 C. 8-9 ounces of malt liquor  
 D. 12 ounces of regular beer  
 E. They all contain approximately the same amount of alcohol
  
4. Stimulant drugs can impair your driving by:  
 A. Impairing your judgment  
 B. Interfering with your ability to concentrate  
 C. Impairing your coordination  
 D. Impairing your vision  
 E. All of the above  
 F. None of the above
  
5. If convicted of DUII in Oregon, criminal sanctions may include:  
 A. Monetary fines  
 B. Community service  
 C. Probation  
 D. Incarceration  
 E. All of the above  
 F. None of the above
  
6. In Oregon, you are presumed to be impaired with a blood alcohol content (BAC) of \_\_\_\_\_ or higher:  
 A. 0.05%                       B. 0.08%                       C. 0.10%  
 D. 0.15%                       E. 0.20%

7. Hallucinogenic drugs can impair your driving by:
- A. Impairing your vision and hearing
  - B. Impairing your reaction time
  - C. Impairing your judgment
  - D. Altering your perceptions
  - E. All of the above
  - F. None of the above
8. Alternatives to driving under the influence include:
- A. Using a designated driver
  - B. Calling a taxi or ride-sharing service
  - C. Walking
  - D. Riding a bicycle
  - E. All of the above
  - F. None of the above
9. Inhalants can impair your driving by:
- A. Impairing your judgment
  - B. Altering your perceptions
  - C. Impairing your ability to properly control driving speed
  - D. Increasing your tendency to attempt unsafe driving maneuvers
  - E. All of the above
  - F. None of the above
10. Signs of a substance use disorder may include:
- A. Withdrawal symptoms
  - B. Continued use despite problems with work, school or family/social obligations
  - C. Using for longer periods of time than intended, or using larger amounts than intended
  - D. Cravings that are so intense it is difficult to think about anything else
  - E. Wanting to reduce or stop use, and being unable to do so
  - F. All of the above
  - G. None of the above
11. Narcotic drugs can impair your driving by:
- A. Slowing reaction time
  - B. Impairing your vision
  - C. Causing drowsiness
  - D. Altering your perceptions
  - E. All of the above
  - F. None of the above
12. Symptoms of withdrawal may include:
- A. Sleep disruption
  - B. Nausea/vomiting
  - C. Seizures
  - D. Muscle cramps
  - E. Appetite disruption
  - F. All of the above
  - G. None of the above

13. When suspended for a DUI conviction, your driving privileges can be reinstated after the required suspension period and:
- A. Submission of a DUI Treatment Completion Certificate
  - B. Submission of a circuit court order stating that you have successfully completed treatment
  - C. Fifteen years have elapsed since the date of conviction
  - D. A letter from a friend or family member stating you have successfully completed treatment
  - E. Any of the above
  - F. None of the above
14. In Oregon, the leading cause of crashes resulting in physical injury is following too close. Which class(es) of drugs may affect your ability to judge distance?
- A. Depressant
  - B. Stimulant
  - C. Narcotic
  - D. Hallucinogen
  - E. Inhalant
  - F. All of the above
  - G. None of the above
15. In Oregon, the leading cause of fatal crashes is speed. Which class(es) of drugs may affect speed?
- A. Depressant
  - B. Stimulant
  - C. Narcotic
  - D. Hallucinogen
  - E. Inhalant
  - F. All of the above
  - G. None of the above

**True or false (10 points)** – For each sentence listed below, mark whether you think the sentence is True or False.

16. In Oregon, driving under the influence of marijuana is against the law – whether medical or recreational.  True  False
17. In Oregon, driving under the influence of controlled substances is against the law unless you have a valid prescription.  True  False
18. In Oregon, you can only be charged with a DUI if you have a BAC of 0.08% or higher.  True  False
19. Oregon's implied consent law means that by driving a vehicle you have implied that you will consent to a breath, blood or urine test if a police officer asks you to.  True  False
20. In Oregon, refusing to take a breath or urine test may result in your driving privileges being suspended for at least one year.  True  False
21. When combining multiple drugs or combining alcohol with other drugs, the effects can be significantly greater than when taken alone.  True  False

22. Quitting alcohol “cold turkey” can be dangerous and even life-threatening.  True  False
23. Alcohol-impaired-driving fatalities accounted for 29 percent of all motor vehicle traffic fatalities in the United States in 2015.  True  False
24. Everyone who gets a DUII in Oregon is required to install and ignition interlock device.  True  False
25. When your driving privileges have been permanently revoked, you may be able to petition the court to restore them after a minimum of 10 years from the revocation effective date.  True  False

**Matching (15 points)**

26. Being convicted of a DUII in Oregon may result in your driving privileges being suspended by the DMV. Suspension lengths vary. Match the offense with the applicable suspension length:

Type of offense	Suspension length
1 <sup>st</sup> conviction	3 years
2 <sup>nd</sup> conviction in 5 years	Permanent
3 <sup>rd</sup> conviction or felony	1 year

27. Match the drug with its appropriate class. You may use a class more than once.

<b>D</b> = Depressant	<b>H</b> = Hallucinogen	<b>I</b> = Inhalant
<b>N</b> = Narcotic	<b>S</b> = Stimulant	

- Aerosol sprays \_\_\_\_\_
- Alcohol \_\_\_\_\_
- Amphetamines (e.g., Adderall, Dexedrine, Concerta, Ritalin) \_\_\_\_\_
- Benzodiazepines (e.g., Xanax, Valium, Ativan, Klonopin) \_\_\_\_\_
- Cocaine \_\_\_\_\_
- Heroin \_\_\_\_\_
- LSD \_\_\_\_\_
- Marijuana \_\_\_\_\_
- Methamphetamine \_\_\_\_\_
- Nitrous oxide \_\_\_\_\_
- Opiates/opioids (e.g., OxyContin, Vicodin, Codeine, Ultram) \_\_\_\_\_
- Psilocybin \_\_\_\_\_